Brain Research, 71 (1993) 261–262
© 1993 Elsevier Science Publishers B.V. All rights reserved 0165-3806/93/$06.00

Author Index

Baldy-Moulinier, M., see Mayeux, V. (71) 201
Banik, N.L., see Chakrabarti, A.K. (71) 107
Berman, N.E.J., see Hogan, D. (71) 221
Boer, G.J., see Erdtsieck-Ernste, E.B.H.W. (71) 27
Borroni, E., Derrington, E.A. and Whittaker, V.P.
Distribution of the cholinergic-specific antigen Chol-1 in mouse spinal cord neurons developing in culture (71) 247
Botterblom, M., see Erdtsieck-Ernste, E.B.H.W. (71) 27
Brinton, R.D. and Brownson, E.A.
Vasopressin-induction of cyclic AMP in cultured hippocampal neurons (71) 101
Brownson, E.A., see Brinton, R.D. (71) 101
Buchs, P.-A., Stoppini, L. and Muller, D.
Structural modifications associated with synaptic development in area CA1 of rat hippocampal organotypic cultures (71) 81
Buchs, P.-A., see Muller, D. (71) 93

Chakrabarti, A.K., Banik, N.L., Lobo, D.C., Terry, E.C. and Hogan, E.L.
Calcium-activated neutral proteinase (calpain) in rat brain during development: compartmentation and role in myelination (71) 107
Ciani, E. and Contestabile, A.
Ornithine decarboxylase is differentially induced by kainic acid during brain development in the rat (71) 258
Clifford, D.B., see Yang, J. (71) 19
Collard, K.J., Edwards, R. and Liu, Y.
Changes in synaptosomal glutamate release during postnatal development in the rat hippocampus and cortex (71) 37
Contestabile, A., see Ciani, E. (71) 258
Cowell, P.E., see Mack, C.M. (71) 115

Denenberg, V.H., see Mack, C.M. (71) 115
Derrington, E.A., see Borroni, E. (71) 247

Edwards, R., see Collard, K.J. (71) 37
Erdtsieck-Ernste, E.B.H.W., Feenstra, M.G.P., Botterblom, M. and Boer, G.J.
Postnatal exposure to the β-adrenoceptor agonist clenbuterol has regionally selective direct and long-term effects on rat brain β-adrenoceptors and monoamine metabolism (71) 27

Facci, L., see Skaper, S.D. (71) 1
Farel, P.B., Wray, S.E. and Meeker, M.L.
Size-related increase in motoneuron number: evidence for late differentiation (71) 169
Feenstra, M.G.P., see Erdtsieck-Ernste, E.B.H.W. (71) 27
Fitch, R.H., see Mack, C.M. (71) 115
Friedman, L.B., see Pfenninger, K.H. (71) 181

Harry, G.J., see Zawia, N.H. (71) 53
Heredia, M., see Valverde, F. (71) 209
Hertz, L., see Juurlink, B.H.J. (71) 239
Hogan, D. and Berman, N.E.J.
The development of somatostatin immunoreactive neurons in cat visual cortical areas (71) 221
Hogan, E.L., see Chakrabarti, A.K. (71) 107
Hong, J.S., see McMillian, M.K. (71) 75
Hudson, P.M., see McMillian, M.K. (71) 75
Hung, G.H., see McMillian, M.K. (71) 75

Ikuta, F., see Yamada, M. (71) 137

Jones, E.G., see Scarisbrick, I.A. (71) 121
Juurlink, B.H.J. and Hertz, L.
Ischemia-induced death of astrocytes and neurons in primary culture: pitfalls in quantifying neuronal cell death (71) 239

Kakita, A., see Yamada, M. (71) 137
Keino, H., see Naruse, I. (71) 69
Kidokoro, Y., see Saito, M. (71) 9
Kim, S.U., see Yamada, M. (71) 137
Kurotani, T., Yamamoto, N. and Toyama, K.
Development of neural connections between visual cortex and transplanted lateral geniculate nucleus in rats (71) 151

Lee, D.Y., see McMillian, M.K. (71) 75
Lehman, M.N., see Romero, M.-T. (71) 45
Leon, A., see Skaper, S.D. (71) 1
Liu, Y., see Collard, K.J. (71) 37
Lobo, D.C., see Chakrabarti, A.K. (71) 107
Loopuijt, L.D. and Villablanca, J.R.
Increase in size of the caudate nucleus of the cat after a prenatal neocortical lesion (71) 59

Mack, C.M., Fitch, R.H., Cowell, P.E., Schrott, L.M. and Denenberg, V.H.
Ovarian estrogen acts to feminize the female rat's corpus callosum (71) 115
Mayeux, V., Tafti, M., Baldy-Moulinier, M. and Valmier, J.
Developmental regulation of carbonic anhydrase expression in mouse dorsal root ganglia (71) 201
McMillian, M.K., Hudson, P.M., Lee, D.Y., Thai, L., Hung, G.H. and Hong, J.S.
Developmental changes in rat adrenal enkephalin precursor: peptide ratio (71) 75
Meeker, M.L., see Farel, P.B. (71) 169
Meisami, E. and Sendera, T.J.
Morphometry of rat olfactory bulbs stained for cytochrome oxidase reveals that the entire population of glomeruli forms early in the neonatal period (71) 253
Mizuguchi, M., see Yamada, M. (71) 137
Muller, D., Buchs, P.-A. and Stoppini, L.
Time course of synaptic development in hippocampal organotypic cultures (71) 93
Muller, D., see Buchs, P.-A. (71) 81

Naruse, I. and Keino, H.
Induction of agenesis of the corpus callosum by the destruction of anlage of the olfactory bulb using fetal laser surgery exo utero in mice (71) 69
Nguyen, J., see Saito, M. (71) 9

Pfenninger, K.H. and Friedman, L.B.
Sites of plasmalemmal expansion in growth cones (71) 181
Porter, J.P., see Toney, G.M. (71) 193

Rhee, S.G., see Yamada, M. (71) 137
Romero, M.-T., Lehman, M.N. and Silver, R.
Age of donor influences ability of suprachiasmatic nucleus grafts to restore circadian rhythmicity (71) 45

Saito, M., Nguyen, J. and Kidokoro, Y.
Inhibition of nerve- and agrin-induced acetylcholine receptor clustering on *Xenopus* muscle cells in culture (71) 9
Santacana, M., see Valverde, F. (71) 209
Sawyer, T.W. and Weiss, M.T.
Parallel development of acetylcholinesterase in vivo and in primary neuron surface culture (71) 147
Scarisbrick, I.A. and Jones, E.G.
NCAM immunoreactivity during major developmental events in the rat maxillary nerve–whisker system (71) 121
Schrott, L.M., see Mack, C.M. (71) 115
Sendera, T.J., see Meisami, E. (71) 253
Silver, R., see Romero, M.-T. (71) 45
Skaper, S.D., Leon, A. and Facci, L.
Basic fibroblast growth factor modulates sensitivity of cultured hippocampal pyramidal neurons to glutamate cytotoxicity: interaction with ganglioside GM1 (71) 1
Stoppini, L., see Buchs, P.-A. (71) 81
Stoppini, L., see Muller, D. (71) 93

Tafti, M., see Mayeux, V. (71) 201
Terry, E.C., see Chakrabarti, A.K. (71) 107
Thai, L., see McMillian, M.K. (71) 75
Thio, L.L., see Yang, J. (71) 19
Toney, G.M. and Porter, J.P.
Functional roles of brain AT_1 and AT_2 receptors in the central angiotensin II pressor response in conscious young spontaneously hypertensive rats (71) 193
Toyama, K., see Kurotani, T. (71) 151

Valmier, J., see Mayeux, V. (71) 201
Valverde, F., Heredia, M. and Santacana, M.
Characterization of neuronal cell varieties migrating from the olfactory epithelium during prenatal development in the rat. Immunocytochemical study using antibodies against olfactory marker protein (OMP) and luteinizing hormone-releasing hormone (LH-RH) (71) 209
Villablanca, J.R., see Loopuijt, L.D. (71) 59
Weiss, M.T., see Sawyer, T.W. (71) 147
Whittaker, V.P., see Borroni, E. (71) 247
Wray, S.E., see Farel, P.B. (71) 169
Yamada, M., Kakita, A., Mizuguchi, M., Rhee, S.G., Kim, S.U. and Ikuta, F.
Developmental profile of inositol 1,4,5-trisphosphate 3-kinase in rat cerebellar cortex: light and electron microscopic immunohistochemical studies (71) 137
Yamamoto, N., see Kurotani, T. (71) 151
Yang, J., Thio, L.L., Clifford, D.B. and Zorumski, C.F.
Electrophysiological properties of identified postnatal rat hippocampal pyramidal neurons in primary culture (71) 19
Zawia, N.H. and Harry, G.J.
Correlations between developmental ornithine decarboxylase gene expression and enzyme activity in the rat brain (71) 53
Zorumski, C.F., see Yang, J. (71) 19